



# COMMERCIAL PRODUCTS



ENERGY-INTELLIGENT™ TECHNOLOGY  
HEATING AND COOLING SYSTEMS



PACKAGED GAS ELECTRIC • HEAT PUMPS • AIR CONDITIONERS | SPLIT SYSTEM AIR CONDITIONERS • HEAT PUMPS | AIR HANDLERS

A woman with blonde hair in a bun, wearing a light-colored blazer and white shirt, is looking down at a laptop screen. The background is a blurred office setting with white pipes.

# Our Perfect Package:

**Harnessing energy-efficient performance, proven technology, and enhanced comfort for life.**

Since becoming the first company in Japan to manufacture packaged air conditioning systems, in 1951, Daikin has supported comfortable indoor living based on the strengths and technologies that have led to the growth of the company becoming the world's largest manufacturer of HVAC products, systems and refrigerants.

Today, as a comprehensive global manufacturer of HVAC products and systems, the Daikin brand is committed to being recognized as 'a truly global and excellent company' capable of continually creating new value for its customers. The company plans to pursue sustainable growth and foster business operations that consistently harmonize with the goals of improving indoor comfort.

The group philosophy of the company includes:

- Creating new value continuously for customers
- Developing world leading energy-saving technology
- Being a flexible and dynamic organization
- Allowing employees to be the driving force for the success of the company
- Fostering an atmosphere of best practices, boldness, and innovation
- Thinking and acting globally

visit [www.daikincomfort.com](http://www.daikincomfort.com)

**PACKAGED GAS/ELECTRIC**

|  | Packaged Gas/Electric |          |                             |                                    |                             |                             |
|--|-----------------------|----------|-----------------------------|------------------------------------|-----------------------------|-----------------------------|
| 3-Phase Models   | DCG Series            |          |                             |                                    |                             |                             |
| Nominal Capacity   | 3 to 5 Tons           | 6 Tons   | 7½ to 10 Tons               | 12½ and 15 Tons                    | 20 Tons                     | 25 Tons                     |
| Cooling Efficiency                                       | 13 SEER               | 11.0 EER | 11.3 EER                    | 10.8 EER                           | 9.8 EER                     | 9.8 EER                     |
| R-410A Refrigerant                                       | ■                     | ■        | ■                           | ■                                  | ■                           | ■                           |
| 80% AFUE Rating  | ■                     | ■        | ■                           | ■                                  | ■                           | ■                           |
| Tubular Heat Exchanger                                   | ■                     | ■        | ■                           | ■                                  | ■                           | ■                           |
| Two-Stage Heating  | ■                     | ■        | ■                           | ■                                  | ■                           | ■                           |
| Two-Stage Cooling  | N/A                   | N/A      | ■                           | ■                                  | ■                           | ■                           |
| High-Efficiency Scroll Compressor                        | ■                     | ■        | ■                           | ■                                  | ■                           | ■                           |
| Standard 2" Filters                                      | ■                     | ■        | ■                           | Convertible to 4"<br>(only 15 Ton) | Convertible to 4"           | Convertible to 4"           |
| Factory-Installed Filter Drier                           | ■                     | ■        | ■                           | ■                                  | ■                           | ■                           |
| 5mm Condensing Coil<br>(on select models)                | 5 Tons                | ■        | ■                           | ■                                  | ■                           | ■                           |
| Contactor with Lugs                                      | ■                     | ■        | ■                           | ■                                  | ■                           | ■                           |
| Two-Speed Belt Drive Motor<br>(Factory-Installed Option) | N/A                   | N/A      | Factory-Installed<br>Option | Factory-Installed<br>Option        | Factory-Installed<br>Option | Factory-Installed<br>Option |
| 5-Year Parts Limited Warranty*                           | ■                     | ■        | ■                           | ■                                  | ■                           | ■                           |
| 20-Year Heat Exchanger<br>Limited Warranty*              | ■                     | ■        | ■                           | ■                                  | ■                           | ■                           |

**OUTSTANDING LIMITED WARRANTY\* PROTECTION**



\* Complete warranty details available from your local dealer or at [www.daikincomfort.com](http://www.daikincomfort.com).



**PACKAGED HEAT PUMPS**

|   | Packaged Heat Pumps |          |                             |                             |                             |
|---|---------------------|----------|-----------------------------|-----------------------------|-----------------------------|
| 3-Phase Models  | DCH Series          |          |                             |                             |                             |
| Nominal Capacity                                      | 3 to 5 Tons         | 6 Tons   | 7½ Tons                     | 8½ to 10 Tons               | 12½ Tons                    |
| Cooling Efficiency                                    | 13 SEER             | 11.1 EER | 11.5 EER                    | 11.1 EER                    | 10.6 EER                    |
| R-410A Refrigerant                                    | ■                   | ■        | ■                           | ■                           | ■                           |
| Two-Stage Cooling                                     | N/A                 | N/A      | ■                           | ■                           | ■                           |
| High-Efficiency Scroll Compressor                     | ■                   | ■        | ■                           | ■                           | ■                           |
| Standard 2" Filters                                   | ■                   | ■        | ■                           | ■                           | ■                           |
| Factory-Installed Filter Drier                        | ■                   | ■        | ■                           | ■                           | ■                           |
| Terminal Block  | ■                   | ■        | ■                           | ■                           | ■                           |
| Two-Speed Belt Drive Motor (Factory-Installed Option) | N/A                 | N/A      | Factory-Installed<br>Option | Factory-Installed<br>Option | Factory-Installed<br>Option |
| 5-Year Parts Limited Warranty*                        | ■                   | ■        | ■                           | ■                           | ■                           |



## Commercial comfort. No compromise.

Get curb appeal, energy efficient performance and outstanding product limited warranties\*.

Get on the ground floor with the world's largest HVAC manufacturer and start growing your business. Daikin brand commercial packaged units offer ease of installation, efficient operation and outstanding product limited warranty\* coverage. Whether you need a straight cooling unit, heat pump or

gas/electric, you'll find cogent features such as 5mm condensing coils, outstanding heat pump features and our most durable tubular heat exchanger. When you want the best, don't compromise. Demand Daikin!

### PACKAGED AIR CONDITIONERS

|   | Packaged Air Conditioners |          |                          |                                 |                          |                          |
|---|---------------------------|----------|--------------------------|---------------------------------|--------------------------|--------------------------|
| 3-Phase Models  | DCC Series                |          |                          |                                 |                          |                          |
| Nominal Capacity                                      | 3 to 5 Tons               | 6 Tons   | 7½ to 10 Tons            | 12½ to 15 Tons                  | 20 Tons                  | 25 Tons                  |
| Cooling Efficiency                                    | 13 SEER                   | 11.2 EER | 11.3 EER                 | 11 EER                          | 10 EER                   | 10.2 EER                 |
| R-410A Refrigerant                                    | ■                         | ■        | ■                        | ■                               | ■                        | ■                        |
| Two-Stage Cooling                                     | N/A                       | N/A      | ■                        | ■                               | ■                        | ■                        |
| High-Efficiency Scroll Compressor                     | ■                         | ■        | ■                        | ■                               | ■                        | ■                        |
| Standard 2" Filter Racks                              | ■                         | ■        | ■                        | Convertible to 4" (only 15 Ton) | Convertible to 4"        | Convertible to 4"        |
| Factory-Installed Filter Drier                        | ■                         | ■        | ■                        | ■                               | ■                        | ■                        |
| 5mm Condensing Coil (on select models)                | 5 Tons                    | ■        | ■                        | ■                               | ■                        | ■                        |
| Terminal Block  | ■                         | ■        | ■                        | ■                               | ■                        | ■                        |
| Two-Speed Belt Drive Motor (Factory-Installed Option) | N/A                       | N/A      | Factory-Installed Option | Factory-Installed Option        | Factory-Installed Option | Factory-Installed Option |
| 5-Year Parts Limited Warranty*                        | ■                         | ■        | ■                        | ■                               | ■                        | ■                        |

### DT SERIES PACKAGED UNITS

|  | DT Series Packaged Units |                 |                     |
|--|--------------------------|-----------------|---------------------|
| 1-Phase Models                           | DTG Gas/Electric         | DTH Heat Pump   | DTC Air Conditioner |
| Nominal Capacity                         | 3, 4 and 5 Tons          | 3, 4 and 5 Tons | 3, 4 and 5 Tons     |
| Cooling Efficiency                       | Up to 15.5 SEER          | 15 SEER         | Up to 15.5 SEER     |
| R-410A Refrigerant                       | ■                        | ■               | ■                   |
| Factory-Installed Filter Drier           | ■                        | ■               | ■                   |
| 5mm Condensing Coil                      | ■                        | ■               | ■                   |
| 5-Year Parts Limited Warranty*           | ■                        | ■               | ■                   |
| 20-Year Heat Exchanger Limited Warranty* | ■                        | N/A             | N/A                 |



### DP13 M SERIES PACKAGED UNITS

|  | M Series Packaged Units |                  |                        |
|--|-------------------------|------------------|------------------------|
| 3-Phase Models                           | DP13GM Gas/Electric     | DP13HM Heat Pump | DP13CM Air Conditioner |
| Nominal Capacity                         | 3, 4 and 5 Tons         | 3, 4 and 5 Tons  | 3, 4 and 5 Tons        |
| Cooling Efficiency                       | 13 SEER                 | 13 SEER          | 13 SEER                |
| R-410A Refrigerant                       | ■                       | ■                | ■                      |
| Factory-Installed Filter Drier           | ■                       | ■                | ■                      |
| Tubular Heat Exchanger                   | ■                       | N/A              | N/A                    |
| 5-Year Parts Limited Warranty*           | ■                       | ■                | ■                      |
| 20-Year Heat Exchanger Limited Warranty* | ■                       | N/A              | N/A                    |

OUTSTANDING LIMITED WARRANTY\* PROTECTION



\*Complete warranty details available from your local dealer or at [www.daikincomfort.com](http://www.daikincomfort.com).

### SPLIT SYSTEM AIR CONDITIONERS AND HEAT PUMPS

|  | Commercial Air Conditioner Condensing Units |                | Commercial Heat Pump Condensing Units |                |
|--|---|----------------|---------------------------------------|----------------|
|  | DX13  | DX11           | DZ13                                  | DZ11           |
| 3-Phase Models   | DX13  | DX11           | DZ13                                  | DZ11           |
| Nominal Capacity                                       | 3, 4 and 5 Tons                             | 7½ and 10 Tons | 3, 4 and 5 Tons                       | 7½ and 10 Tons |
| Cooling Efficiency                                     | 13 SEER                                     | 11.2 EER       | 13 SEER                               | 11 EER         |
| R-410A Refrigerant                                     | ■   | ■              | ■                                     | ■              |
| Louvered Sound Control Top                             | ■   | ■              | ■                                     | ■              |
| Factory-Installed Filter Drier                         | ■   | ■              | ■                                     | ■              |
| Energy-Efficient Compressor                            | ■   | ■              | ■                                     | ■              |
| Steel Louvered Coil Guard                              | ■   | ■              | ■                                     | ■              |
| High-Efficiency Copper Tube/Enhanced Aluminum Fin Coil | ■   | ■              | ■                                     | ■              |
| Discharge Line Muffler                                 | N/A   | N/A            | ■                                     | ■              |
| Factory-Installed Suction Line Accumulator             | N/A   | N/A            | ■                                     | ■              |
| Reliable Defrost Control                               | N/A   | N/A            | ■                                     | ■              |
| 5-Year Parts Limited Warranty*                         | ■   | ■              | ■                                     | ■              |



### AIR HANDLER

|  | Air Handler Unit    |
|--|---------------------|
| 3-Phase Models                                       | DAR Series          |
| Nominal Capacity                                     | 7½ and 10 Tons      |
| R-410A Refrigerant                                   | ■                   |
| TXV Control  | Two on 10-Ton Model |
| Transformer and Blower Relay                         | ■                   |
| Electric Heat Kits Available as a Field Installation | ■                   |
| Horizontal and Vertical Condensate Pans              | ■                   |
| Built-In Filter Rack for 2" Filter (included)        | ■                   |
| Belt-Driven Draw-Thru Centrifugal Blower             | ■                   |
| 5-Year Parts Limited Warranty*                       | ■                   |

OUTSTANDING LIMITED WARRANTY\* PROTECTION



\*Complete warranty details available from your local dealer or at [www.daikincomfort.com](http://www.daikincomfort.com).



### TWO-SPEED SYSTEMS

|   | Air Handler Unit         | Commercial Air Conditioner Condensing Units | Commercial Heat Pump Condensing Units |
|---|--------------------------|---|---------------------------------------|
| 3-Phase Models  | DAT Series               | DX13 (2)                                    | DZ13 (2)                              |
| Nominal Capacity                                      | 7½ and 10 Tons           | (2) 4 Ton or (2) 5 Ton                      | (2) 4 Ton or (2) 5 Ton                |
| Cooling Efficiency                                    | N/A                      | 11.5 EER                                    | 11.5 EER                              |
| R-410A Refrigerant                                    | ■                        | ■   | ■                                     |
| TXV Control   | ■                        | N/A   | N/A                                   |
| Transformer and Blower Relay                          | ■                        | N/A   | N/A                                   |
| Electric Heat Kits Available as a Field Installation  | ■                        | N/A   | N/A                                   |
| Horizontal and Vertical Condensate Pans               | ■                        | N/A   | N/A                                   |
| Built-In Filter Rack for 2" Filter (included)         | ■                        | N/A   | N/A                                   |
| Belt-Driven Draw-Thru Centrifugal Blower              | ■                        | N/A   | N/A                                   |
| Two-Speed Belt-Drive Motor (Factory-Installed Option) | Factory-Installed Option | N/A   | N/A                                   |
| 5-Year Parts Limited Warranty*                        | ■                        | ■   | ■                                     |

## DC Series

### Field Accessories

- 14" Roof Curb
- 25% Manual Fresh Air Damper
- 25% Motorized Fresh Air Damper
- Barometric Relief Damper
- Burglar Bar Sleeves with Supply and Return
- Concentric Duct Kit
- Condenser Coil Hail Guards
- Downflow Economizer
- Electric Heat Kits (Heat Pumps and Air Conditioners)
- High Altitude Kit (Gas/Electric Units)
- High-Static Kits
- Horizontal Economizers
- Hurricane Clips
- Low-Ambient Kit
- LP Conversion Kit (Gas/Electric Units)
- Power Exhaust
- Freezestat Kit

### Factory-Installed Options

- Stainless Steel Heat Exchanger (Gas/Electric Units)
- Electric Heat Kits (Heat Pumps and Air Conditioners)
- Low-Ambient Kit
- Downflow Economizer
- Non-Fused Disconnect Switch
- Powered Convenience Outlet
- Non-Powered Convenience Outlet
- Smoke Detectors (Supply Air and/or Return Air)

## DP13 M Series

### Field Accessories

- Horizontal Duct Covers
- Downflow Economizer
- External Horizontal Filter Rack
- Horizontal Economizer
- 25% Manual Fresh Air Damper
- 25% Motorized Fresh Air Damper
- Outdoor Thermostat and Emergency Heat Relay Kit
- Outdoor Thermostat Kit with Lockout Stat
- Roof Curb
- Square to Round Adapters
- High Altitude Kit (Gas/Electric Units)
- LP Conversion Kit (Gas/Electric Units)

*Please see product specifications for more details on accessories and options.*





Harnessing energy-efficient performance, proven technology, and enhanced *Comfort for Life.*



Packaged Unit Models **DCC, DCG, DCH** (3 - 6 Tons),  
**DT Series** (3 - 5 Tons)



Packaged Unit Models **DCC, DCG, DCH** (7 ½ - 12 ½ Tons)



Packaged Unit Models **DCC, DCG** (15 & 20 Tons)



Packaged Unit Models **DCC, DCG** (25-Tons)



Packaged Unit Models **DP13HM, DP13CM, DP13GM**



Commercial Air Handler Models **DAR, DAT**



Split System Air Conditioner Models **DX13, DX11**  
Split System Heat Pump Models **DZ13, DZ11**

Our continuing commitment to quality products may mean a change in specifications without notice.



**Daikin** provides innovative,  
premium quality indoor climate  
management solutions to  
meet the changing needs of  
residential, commercial and  
industrial customers.

ADDITIONAL INFORMATION

Before purchasing this appliance, read important information about its estimated annual energy consumption, yearly operating cost, or energy efficiency rating that is available from your retailer.

visit [www.daikincomfort.com](http://www.daikincomfort.com)



Our continuing commitment to quality products may mean a change in specifications without notice.

© 2015 **DAIKIN NORTH AMERICA LLC** · Houston, Texas · USA · [www.daikincomfort.com](http://www.daikincomfort.com)

PM-LCDL 10-15