Job Name:	
Tag#	



#### Submittal Data Sheet

#### FDMQ15RVJU

1.25-Ton Ducted Concealed Indoor Unit





Complete warranty details available from your local dealer or at www.daikincomfort.com. To receive the 12-Year Parts Limited Warranty, online registration must be completed within 60 days of installation. Online registration is not required in California or Quebec. *If product is installed in a commercial application, limited warranty period is 5 years.* 

Indoor Specifications					
		Cooling		Heating	
Airflow Rate (cfm)	Н		М	н	М
	516		438	516	438
	Ĺ		L		
	360		0	360	
Sound (dBA)	34		34		
Dimensions (H × W ×	D) (in) 9-5/8		9-5/8 × 3	39-3/8 × 3	1-1/2
Weight (Lbs)			77		
Nominal Capacity (Bt	tu/hr) 15,000		15,000		
*See Outdoor Unit for Rated Capacities					

Piping				
Liquid (in)	1/4			
Gas (in)	1/2			
Drain (in)	1			

# **Optional Accessories**




Indoor Unit – One Controller required				
Included	Part Number	Description		
	BRC1E73	Wired Remote Controller		
	BRC082A43	Wireless Remote Controller		
	KRCS01-4B	Remote Sensor		
	DACA-CP2-1	Maxi Orange Condensate Pump (up to 49 ft head)		
	DACA-CP3-1	Mini Condensate Pump (up to 33 ft head)		
	KRP1C74	Wiring Adapter		
	KRP4A98	Mounting Plate		
	DFBS39A13	MERV 13 Filter Kit		
	AZAI6WSCDKA	DKN Cloud Wi-Fi Adaptor		

Daikin North America LLC 5151 San Felipe, Suite 500 Houston, TX 77056

(Daikin's products are subject to continuous improvements. Daikin reserves the right to modify product design, specifications and information in this data sheet without notice and without incurring any obligations)

## FDMQ15RVJU Dimensional Data




Daikin North America LLC 5151 San Felipe, Suite 500 Houston, TX 77056

(Daikin's products are subject to continuous improvements. Daikin reserves the right to modify product design, specifications and information in this data sheet without notice and without incurring any obligations)



### External Static Pressure / Airflow Chart





Daikin North America LLC 5151 San Felipe, Suite 500 Houston, TX 77056

(Daikin's products are subject to continuous improvements. Daikin reserves the right to modify product design, specifications and information in this data sheet without notice and without incurring any obligations)