Job Name:	
Tag#	



Suk	m	ittal	Data	Sheet
Our	JIII	ıttaı	Data	Olicet

FDMQ18RVJU

1.5-Ton Ducted Concealed Indoor Unit





Complete warranty details available from your local dealer or at www.daikincomfort.com. To receive the 12-Year Parts Limited Warranty, online registration must be completed within 60 days of installation. Online registration is not required in California or Quebec. If product is installed in a commercial application, limited warranty period is 5 years.

Indoor Specifications				
Airflow Rate (cfm)	Cooling		Heating	
	Н	М	Н	M
	675	572	675	572
	Ĺ		L	
	473		473	
Sound (dBA)	35		35	
Dimensions (H × W × D) (in)		9-5/8 × 39-3/8 × 31-1/2		
Weight (Lbs)		82		
Nominal Capacity (Btu/hr)		18,000		
*See Outdoor Unit for Rated Capacities				

Piping	
Liquid (in)	1/4
Gas (in)	1/2
Drain (in)	1


Optional Accessories



Indoor Unit – One Controller required			
Included	Part Number	Description	
	BRC1E73	Wired Remote Controller	
	BRC082A43	Wireless Remote Controller	
	KRCS01-4B	Remote Sensor	
	DACA-CP2-1	Maxi Orange Condensate Pump (up to 49 ft head)	
	DACA-CP3-1	Mini Condensate Pump (up to 33 ft head)	
	KRP1C74	Wiring Adapter	
	KRP4A98	Mounting Plate	
	DFBS39A13	MERV 13 Filter Kit	
	AZAI6WSCDKA	DKN Cloud Wi-Fi Adaptor	

Submittal Revision Date: June 2019 Page 1 of 3






Submittal Revision Date: June 2019

External Static Pressure / Airflow Chart





Submittal Revision Date: June 2019