



DP14HM COMMERCIAL

3 - 5 TON THREE-PHASE
PACKAGED HEAT PUMPS 14 SEER

SUBMITTAL DATA FORM

Job Name _____

Location _____

Purchaser _____

Order No. _____

Engineer _____

Unit No. _____

Model No. _____

Unit Designation _____

Performance Data Certified By: _____



Standard Features

- Energy-efficient compressor with internal relief valve
- Fully charged with R-410A chlorine-free refrigerant
- Multi-speed EEM blower motor
- Convertible airflow: horizontal or downflow
- Copper tube / aluminum fin condenser coil
- All-aluminum evaporator coils
- Totally enclosed, permanently lubricated condenser fan motor
- Electric heat kit available as a field-installed accessory
- AHRI Certified; ETL Listed
- Two-stage cooling on 5-ton units

Cabinet Features

- Heavy-gauge galvanized-steel cabinet
- Attractive Nickel Gray powder-paint finish
- Fully insulated blower compartment with convenient access panels
- Louvered condenser coil protection
- One footprint; two heights





* Complete warranty details available from your local distributor or manufacturer's representative or at www.daikincomfort.com.

PERFORMANCE DATA

Cooling Performance		
Tota Capacity	_____	MBH
Sensible Capacity	_____	MBH
Outdoor Design TMP	_____	°F DB / WB
Air Temp entering		
Evaporator Coil	_____	°F
Power Input Required (less blower motor)	_____	kW
Heating Performance		
Total Heating Capacity	_____	kW
	_____	BTU/h
Supply Air Blower Performance		
Total Supply Air	_____	CFM
Ext. Static Pressure	_____	IWG
Blower Speed	_____	RPM
Power Output Required	_____	BHP
Motor Ratings	_____	HP
Power Input Required	_____	kW
Electrical Data		
Power Supply	_____	
Total Unit Amps	_____	Amps
Max Overcurrent Device:		
Fuse	_____	Breaker
	_____	Amps

DIMENSIONS



DIMENSIONS

MODEL	W"	D"	H"	B	H
DP14HM3643	47	51	34 $\frac{3}{4}$ "	16"	32 $\frac{1}{2}$ "
DP14HM4843	47	51	42 $\frac{3}{4}$ "	18"	40"
DP14HM6043	47	51	42 $\frac{3}{4}$ "	18"	40"

FILTERS

MODEL	DIMENSIONS	QTY.
DP14HMMFR102 (for medium models)	16" x 25" x 2"	1
DP14HMMFR103 (for large models)	20" x 25" x 2"	2

ACCESSORIES LIST

ITEM	DESCRIPTION	FITS CHASSIS SIZE	✓
CDK36	Concentric Kit	CDK4872	
DDNECNJPCHMM	Downflow Economizer	DDNECNJPCHML	
DDNIFRPGA	Downflow Internal Filter Rack	DDNIFRPGA	
DDN25FDPGCHMM	Downflow Manual Damper	DDN25FDPGCHML	
DDN25MDPGCHMM	Downflow Motorized Damper	DDN25MDPGCHML	
SQRPG101/102	Downflow Square to Round	SQRPG103	
DPHFRA	External Horizontal Filter Rack	DPHFRA	
20464501NGK	Horizontal Duct Cover	20464502NGK	
DHZEENJPGCHM	Horizontal Economizer	DHZEENJPGCHL	
DHZ25FDPGCHMM	Horizontal Manual Damper	DHZ25FDPGCHML	
DHZ25MFDPGCHMM	Horizontal Motorized Damper	DHZ25MFDPGCHML	
SQRPGH101/102	Horizontal Square to Round	SQRPGH103	
OT/EHR18-60	Outdoor Thermostat & Emergency Heat Relay Kit	OT/EHR18-60	
OT18-60A	Outdoor Thermostat Kit w/ Lockout Stat	OT18-60A	
D14CRBPGCHMA	Roof Curb	D14CRBPGCHMA	